tion No. 275 er	Applicant(s) BRUGEL ET AL. Art Unit	
		<u> </u>
er	Art Unit	
	70.0	
L A. ACQUAH	1711	
ne cover sheet with the contained in this apparagnment in this apparagnment in the contained in this apparagnment in the contained in the cont	lication. If not include will be mailed in due	ed course. THIS
S.C. § 119(a)-(d) or (f). eived. eived in Application No have been received in this r		tion from the
mmunication to file a reply only a seply on the sepplication.	complying with the rec	quirements
e the attached EXAMINER's (s) why the oath or declarat		OTICE OF
nitted.		
	948) attached	
nent / Comment or in the O	ffice action of	
		back) of
		lote the
5. ☐ Notice of Informal Pa	atent Application (PTC)-152)
	•	ŕ
Paper No./Mail Date 7. ⊠ Examiner's Amendm	e nent/Comment	
8. Examiner's Statemen	nt of Reasons for Allo	wance
1	ment / Comment or in the O ould be written on the drawin raccording to 37 CFR 1.121(d DLOGICAL MATERIAL m E DEPOSIT OF BIOLOGICA 5. ☐ Notice of Informal Pa 6. ☐ Interview Summary (Paper No./Mail Date 7. ☑ Examiner's Amendm 8. ☐ Examiner's Statemen	ent Drawing Review (PTO-948) attached ment / Comment or in the Office action of pulld be written on the drawings in the front (not the according to 37 CFR 1.121(d). DLOGICAL MATERIAL must be submitted. No EDEPOSIT OF BIOLOGICAL MATERIAL. 5. ☐ Notice of Informal Patent Application (PTO 6. ☐ Interview Summary (PTO-413), Paper No./Mail Date 7. ☑ Examiner's Amendment/Comment 8. ☐ Examiner's Statement of Reasons for Allogen Grant Comment 9. ☐ Other

Application/Control Number: 10/698,275 Page 2

Art Unit: 1711

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE SPECIFICATION

Line 7. After "filed as", change "continuation-in-part" to ---Continuation---

SAMUEL A ACQUAH PRIMARY EXAMINER GROUP 120 1700